	Application No.	Applicant(s)
Notice of Allowability	10/688,439	DOAN ET AL.
	Examiner	Art Unit
	David S. Blum	2813
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>10/16/03</u> .		·
2. The allowed claim(s) is/are 64-68.		
3. The drawings filed on 16 October 2003 are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements 		
noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the 		
attached Examiner's comment regarding REQUIREMENT	FOR THE DEPOSIT OF BIOLOGIC	AL MATERIAL.
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 10/17/04 10/16/03 スピッサ 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ⊠ Interview Summary Paper No./Mail Da 8), 7. ⊠ Examiner's Amenda	te <u>4/17/05</u> .

This action is in response to the preliminary amendment filed 10/16/03.

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes 1.

and/or additions be unacceptable to applicant, an amendment may be filed as provided

by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be

submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview

with Mark Matkin on 4/14/05.

The application has been amended as follows:

Claims 69-106 are cancelled.

Allowable Subject Matter

2. Claims 64-68 are allowed.

The following is an examiner's statement of reasons for allowance: 3.

Claim 64 limits the formation of a trench isolation to filling a trench with an initially liquid

deposition and subsequently depositing an initially solid material within the trench. This

limitation, in combination with the other limitations of claim 64is not taught or suggested

by the prior art of record. Iver (US006455394B1) fills the trench with an initially liquid fill,

but does not teach or suggest filling a trench with an initially liquid deposition and

subsequently depositing an initially solid material within the trench. Iba

Application/Control Number: 10/688,439

Art Unit: 2813

(US005883006A) also fills the trench with an initially liquid fill, but does not teach or suggest filling a trench with an initially liquid deposition and subsequently depositing an initially solid material within the trench. Beekmann (Sub-Micron Gap Fill...), McClatchie (Low Dielectric Constant Flowfill...), and Kiermasz (Planarisation for sub-Micron Devices...) teach filling a gap with an initially liquid deposition material, but do not teach or suggest filling a trench with an initially liquid deposition and subsequently depositing an initially solid material within the trench.

Claims 65-68 are allowed as being properly dependent upon allowed claim 64.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David S. Blum whose telephone number is (571)-272-1687) and e-mail address is David.blum@USPTO.gov.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Carl Whitehead Jr., can be reached at (571)-272-1702. Our facsimile number all patent correspondence to be entered into an application is (703) 872-9306. The facsimile number for customer service is (703)-872-9317.

Art Unit: 2813

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

David S. Blum

April 18, 2005